**KIMBERLEY NATURE PARK**
(including Horsebarn Valley)

**2021 Checklist**
(updated February, 2021)

# BIRDS

R = Rare
U = Uncommon
C = Common

| √ | Common Name | *Scientific Name* | Abundance | | | Occurrance | | | | | | | | | | | Location | Field Notes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | R | U | C | J | F | M | A | M | J | J | A | S | O | N | D | | |
| | Canada Goose | *Branta canadensis* | | | | | | | | | | | | | | | | | |
| | Mallard | *Anas platyrhynchos* | | | | | | | | | | | | | | | | | |
| | Green-winged Teal | *Anas crecca* | | | | | | | | | | | | | | | | | |
| | Ring-necked Duck | *Aythya collaris* | | | | | | | | | | | | | | | | | |
| | Common Goldeneye | *Bucephala clangula* | | | | | | | | | | | | | | | | | |
| | Barrow's Goldeneye | *Bucephala islandica* | | | | | | | | | | | | | | | | | |
| | Hooded Merganser | *Lophodytes cucullatus* | | | | | | | | | | | | | | | | | |
| | Ruffed Grouse | *Bonasa umbellus* | | | | | | | | | | | | | | | | | |
| | Spruce Grouse | *Falcipennis canadensis* | | | | | | | | | | | | | | | | | |
| | Dusky Grouse | *Dendragapus obscurus* | | | | | | | | | | | | | | | | | |
| | Wild Turkey | *Meleagris gallopavo* | | | | | | | | | | | | | | | | | |
| | Great Blue Heron | *Ardea herodias* | | | | | | | | | | | | | | | | | |
| | Turkey Vulture | *Cathartes aura* | | | | | | | | | | | | | | | | | |
| | Osprey | *Pandion haliaetus* | | | | | | | | | | | | | | | | | |
| | Bald Eagle | *Haliaeetus leucocephalus* | | | | | | | | | | | | | | | | | |
| | Northern Harrier | *Circus cyaneus* | | | | | | | | | | | | | | | | | |
| | Sharp-shinned Hawk | *Accipiter striatus* | | | | | | | | | | | | | | | | | |
| | Cooper's Hawk | *Accipiter cooperii* | | | | | | | | | | | | | | | | | |
| | Northern Goshawk | *Accipiter gentilis* | | | | | | | | | | | | | | | | | |
| | Red-tailed Hawk | *Buteo jamaicensis* | | | | | | | | | | | | | | | | | |
| | Rough-legged Hawk | *Buteo lagopus* | | | | | | | | | | | | | | | | | |
| | Merlin | *Falco columbarius* | | | | | | | | | | | | | | | | | |
| | Sora | *Porzana carolina* | | | | | | | | | | | | | | | | | |
| | Spotted Sandpiper | *Actitis macularius* | | | | | | | | | | | | | | | | | |
| | Northern Pygmy-owl | *Glaucidium gnoma* | | | | | | | | | | | | | | | | | |
| | Barred Owl | *Strix varia* | | | | | | | | | | | | | | | | | |
| | Northern Saw-whet Owl | *Aegolius acadicus* | | | | | | | | | | | | | | | | | |
| | Common Nighthawk | *Chordeiles minor* | | | | | | | | | | | | | | | | | |
| | Black Swift | *Cypseloides niger* | | | | | | | | | | | | | | | | | |
| | Rufous Hummingbird | *Selasphorus rufus* | | | | | | | | | | | | | | | | | |
| | Belted Kingfisher | *Megaceryle alcyon* | | | | | | | | | | | | | | | | | |
| | Williamson's Sapsucker | *Sphyrapicus thyroideus* | | | | | | | | | | | | | | | | | |
| | Red-naped Sapsucker | *Sphyrapicus nuchalis* | | | | | | | | | | | | | | | | | |
| | Downy Woodpecker | *Picoides pubescens* | | | | | | | | | | | | | | | | | |
| | Hairy Woodpecker | *Picoides villosus* | | | | | | | | | | | | | | | | | |
| | Three-toed Woodpecker | *Picoides tridactylus* | | | | | | | | | | | | | | | | | |
| | Northern Flicker | *Colaptes auratus* | | | | | | | | | | | | | | | | | |

**KIMBERLEY NATURE PARK**
(including Horsebarn Valley)

**2021 Checklist**
(updated February, 2021)

# BIRDS

R = Rare
U = Uncommon
C = Common

| | | | Abundance | | | Occurrance | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| √ | **Common Name** | ***Scientific Name*** | **R** | **U** | **C** | **J** | **F** | **M** | **A** | **M** | **J** | **J** | **A** | **S** | **O** | **N** | **D** | **Location** | **Field Notes** |
| | Pileated Woodpecker | *Dryocopus pileatus* | | | | | | | | | | | | | | | | | |
| | Western Wood-peewee | *Contopus sordidulus* | | | | | | | | | | | | | | | | | |
| | Least Flycatcher | *Empidonax minimus* | | | | | | | | | | | | | | | | | |
| | Hammond's Flycatcher | *Empidonax hammondii* | | | | | | | | | | | | | | | | | |
| | Dusky Flycatcher | *Empidonax oberholseri* | | | | | | | | | | | | | | | | | |
| | Pacific-slope Flycatcher | *Empidonax difficilis* | | | | | | | | | | | | | | | | | |
| | Cassin's Vireo | *Vireo cassinii* | | | | | | | | | | | | | | | | | |
| | Warbling Vireo | *Vireo gilvus* | | | | | | | | | | | | | | | | | |
| | Red-eyed Vireo | *Vireo olivaceus* | | | | | | | | | | | | | | | | | |
| | Gray Jay | *Perisoreus canadensis* | | | | | | | | | | | | | | | | | |
| | Steller's Jay | *Cyanocitta stelleri* | | | | | | | | | | | | | | | | | |
| | Blue Jay | *Cyanocitta cristata* | | | | | | | | | | | | | | | | | |
| | Clark's Nutcracker | *Nucifraga columbiana* | | | | | | | | | | | | | | | | | |
| | American Crow | *Corvus brachyrhyncho* | | | | | | | | | | | | | | | | | |
| | Common Raven | *Corvus corax* | | | | | | | | | | | | | | | | | |
| | Tree Swallow | *Tachycineta bicolor* | | | | | | | | | | | | | | | | | |
| | Black-capped Chickadee | *Poecile atricapillus* | | | | | | | | | | | | | | | | | |
| | Mountain Chickadee | *Poecile gambeli* | | | | | | | | | | | | | | | | | |
| | Chestnut-backed Chickadee | *Poecile rufescens* | | | | | | | | | | | | | | | | | |
| | Red-breasted Nuthatch | *Sitta canadensis* | | | | | | | | | | | | | | | | | |
| | White-breasted Nuthatch | *Sitta carolinensis* | | | | | | | | | | | | | | | | | |
| | Brown Creeper | *Certhia americana* | | | | | | | | | | | | | | | | | |
| | Winter Wren | *Troglodytes troglodytes* | | | | | | | | | | | | | | | | | |
| | Golden-crowned Kinglet | *Regulus satrapa* | | | | | | | | | | | | | | | | | |
| | Ruby-crowned Kinglet | *Regulus calendula* | | | | | | | | | | | | | | | | | |
| | Western Bluebird | *Sialia mexicana* | | | | | | | | | | | | | | | | | |
| | Mountain Bluebird | *Sialia currucoides* | | | | | | | | | | | | | | | | | |
| | Townsend's Solitaire | *Myadestes townsendi* | | | | | | | | | | | | | | | | | |
| | Swainson's Thrush | *Catharus ustulatus* | | | | | | | | | | | | | | | | | |
| | Hermit Thrush | *Catharus guttatus* | | | | | | | | | | | | | | | | | |
| | American Robin | *Turdus migratorius* | | | | | | | | | | | | | | | | | |
| | Varied Thrush | *Ixoreus naevius* | | | | | | | | | | | | | | | | | |
| | Gray Catbird | *Dumetella carolinensis* | | | | | | | | | | | | | | | | | |
| | European Starling | *Sturnus vulgaris* | | | | | | | | | | | | | | | | | |
| | Bohemian Waxwing | *Bombycilla garrulus* | | | | | | | | | | | | | | | | | |
| | Cedar Waxwing | *Bombycilla cedrorum* | | | | | | | | | | | | | | | | | |
| | Orange-crowned Warbler | *Vermivora celata* | | | | | | | | | | | | | | | | | |

**KIMBERLEY NATURE PARK**
(including Horsebarn Valley)

**2021 Checklist**
(updated February, 2021)

# BIRDS

R = Rare
U = Uncommon
C = Common

| | | | Abundance | | | Occurrance | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| √ | **Common Name** | ***Scientific Name*** | **R** | **U** | **C** | **J** | **F** | **M** | **A** | **M** | **J** | **J** | **A** | **S** | **O** | **N** | **D** | **Location** | **Field Notes** |
| | Nashville Warbler | *Vermivora ruficapilla* | | | | | | | | | | | | | | | | | |
| | Yellow Warbler | *Dendroica petechia* | | | | | | | | | | | | | | | | | |
| | Yellow-rumped Warbler | *Dendroica coronata* | | | | | | | | | | | | | | | | | |
| | Townsend's Warbler | *Dendroica townsendi* | | | | | | | | | | | | | | | | | |
| | American Redstart | *Setophaga ruticilla* | | | | | | | | | | | | | | | | | |
| | Northern Waterthrush | *Seiurus noveboracensis* | | | | | | | | | | | | | | | | | |
| | MacGillivray's Warbler | *Oporornis tolmiei* | | | | | | | | | | | | | | | | | |
| | Common Yellowthroat | *Geothlypis trichas* | | | | | | | | | | | | | | | | | |
| | Wilson's Warbler | *Wilsonia pusilla* | | | | | | | | | | | | | | | | | |
| | Western Tanager | *Piranga ludoviciana* | | | | | | | | | | | | | | | | | |
| | Spotted Towhee | *Pipilo maculatus* | | | | | | | | | | | | | | | | | |
| | Cassin's Finch | *Carpodacus cassinii* | | | | | | | | | | | | | | | | | |
| | Chipping Sparrow | *Spizella passerina* | | | | | | | | | | | | | | | | | |
| | Clay-colored Sparrow | *Spizella pallida* | | | | | | | | | | | | | | | | | |
| | Vesper Sparrow | *Pooecetes gramineus* | | | | | | | | | | | | | | | | | |
| | Fox Sparrow | *Passerella iliaca* | | | | | | | | | | | | | | | | | |
| | Song Sparrow | *Melospiza melodia* | | | | | | | | | | | | | | | | | |
| | Lincoln Sparrow | *Melospiza lincolnii* | | | | | | | | | | | | | | | | | |
| | White-crowned Sparrow | *Zonotrichia leucophrys* | | | | | | | | | | | | | | | | | |
| | Dark-eyed Junco | *Junco hyemalis* | | | | | | | | | | | | | | | | | |
| | Black-headed Grosbeak | *Pheucticus melanocephalus* | | | | | | | | | | | | | | | | | |
| | Lazuli Bunting | *Passerina amoena* | | | | | | | | | | | | | | | | | |
| | Red-winged Blackbird | *Agelaius thoeniceus* | | | | | | | | | | | | | | | | | |
| | Pine Grosbeak | *Pinicola enucleator* | | | | | | | | | | | | | | | | | |
| | House Finch | *Carpodacus mexicanu* | | | | | | | | | | | | | | | | | |
| | Red Crossbill | *Loxia curvirostra* | | | | | | | | | | | | | | | | | |
| | White-winged Crossbill | *Loxia leucoptera* | | | | | | | | | | | | | | | | | |
| | Common Redpoll | *Carduelis flammea* | | | | | | | | | | | | | | | | | |
| | Pine Siskin | *Carduelis pinus* | | | | | | | | | | | | | | | | | |
| | Evening Grosbeak | *Coccothraustes vespertinus* | | | | | | | | | | | | | | | | | |